

Gardomer® L 6339

Advanced, dry-film, polymer lubricant



Gardomer L 6339 is a high performance aqueous polymer dispersion lubricant for the coating of metal surfaces to facilitate cold forming.

It is primarily used in the production of cold heading wire.

- + Reduce friction
- + Superior corrosion resistance
- + Stable upon dilution, miscible with water
- + Excellent film forming properties
- + Multiple applications: drawing, extrusion, and stamping
- + Multi-Metal safe
- + Ambient bath temperature, quick drying

Chemetall offers a fully integrated and optimized portfolio of products and solutions for cold forming.

Our technologies arise from our comprehensive knowledge of the challenges faced by manufacturers.

We offer advanced and original green options to increase sustainability.

BASF
We create chemistry

Chemetall
expect more+

Cold Forming of Metal


Discover Chemetall's innovative, high-performance products that offer the optimal solution for all cold forming applications.

Our extensive range of lubricants, protection agents, cleaning and phosphate removal products, pickling inhibitors, activating and neutralizing agents, and phosphate-free pretreatments provide superior process workflows.



Cold forming, CHQ, and extrusion processes and products

Cold extrusion of high-strength alloys



Cut it. Clean it. Coat it. Control it. Conserve it.

North American Headquarters

675 Central Avenue
New Providence, NJ 07974
Tel: 908-464-6900
Toll-free: 800-526-4473
Fax: 908-464-7914

www.ChemetallNA.com

Chemetall Canada Limited

5025 Creekbank Road,
Building A, Floor 2
Mississauga, Ontario, Canada
L4W 0B6
Tel: 905-791-1628
Toll-free: 877-311-1471

Chemetall Mexicana, S.A. de C.V.

Avenida El Tepeyac No. 1420-B
Parque Industrial O'Donnell-Aeropuerto
El Marqués, Querétaro
C.P. 76250, México
Querétaro Tel: +52 (442) 227 2000
Monterrey Tel: +52 (81) 8371 2517

Chemetall U.S.

1100 Technology Drive
Jackson, MI 49201
Tel: 517-787-4846
Toll-free: 877-941-3800
Fax: 517-787-5538

The product information contained in this brochure has been compiled to the best of our knowledge on the basis of thorough tests and research work and with regard to the current state of our practical experience in the industry. This product information is non-binding. Our statements relating to possible uses of the product do not constitute a guarantee that such uses are appropriate in a particular user's case or that such uses do not infringe the patents or proprietary rights of any third party. The user should undertake sufficient verification and testing to determine the suitability of the product for its particular purpose. We assume no risk or liability whatever in connection with any particular use, if not expressly confirmed by us in writing. Therefore, Chemetall grants no warranty and does not accept any liability in connection with this product information or its use. Except where noted otherwise, all registered trademarks are owned by Chemetall or its affiliated companies. The reproduction of any or all of the information contained in this brochure is expressly forbidden without Chemetall's prior written consent.